

Our Panel of Cell-based Assays related to Pain

Ion Channels, Neurotransmitter Transporters and ***GPCRs*** have long been recognized as important target classes in the search for new pain therapies. We offer a comprehensive collection of cell-based assays for important targets in the pain drug discovery research.


| Ion Channels | |
|-------------------|-------|
| HCN2 | P2RX4 |
| KCNA5 (KV1.5) | TRPA1 |
| SCN9A (Nav1.7) | TRPM5 |
| CACNA1B (CaV 2.2) | TRPM8 |
| P2RX3 | TRPV1 |
| P2RX2/P2RX3 | |

| Transportes |
|-----------------------|
| Glycine: GLYT1, GLYT2 |
| GABA: GAT1, GAT3 |
| Proline: SLC6A15 |

| GPCRs |
|---|
| Adenosine: ADORA1, Adora1 (mouse), Adora1 (rat), ADORA2A, Adora2a (mouse), Adora2a (rat), ADORA2B, Adora2b (mouse), Adora2b (rat), ADORA3, Adora3 (mouse) |
| Bradykinin: BDKRB1, Bdkrb1 (rat), BDKRB2 |
| Cannabinoid: CNR1, CNR2 |
| Chemokine: CCR2, CCR3, CCR5, CXCR2 (IL8RA) |
| Cholecystokinin: CCKAR |
| Cholinergic: CHRM2 |
| Cysteinyl leukotriene: CYSLTR2 |
| Dopamine: DRD1, DRD3 |
| Formyl peptide: FPR1, FPR2 (FPRL1) |
| G protein-coupled receptor: GPR119 |
| Glutamate receptor: GRM1 |
| Histamine: HRH3 |
| MAS related: MRGPRX1 (Mrg-X1) |
| Peroxisome proliferator-activated: PPARA, PPARD |
| Prostaglandin: PTGER1, PTGER2, PTGER3, PTGER4 |
| Serotonin: HTR2A |

SERVICE OFFERED

- ✓ Assay development
- ✓ HTS
- ✓ Manual Patch Clamp
- ✓ Automated Patch Clamp



ASSAY PANEL

- ✓ Stable transfected cell lines*
- ✓ Various read outs available

* With the exception of the CACNA1B (CaV 2.2) assay - endogenous expression

Contact us to receive further information on our offers

Axxam SpA
Open Zone
Via Meucci 3 – 20091, Bresso, Milan (Italy)

Phone +39 02 2105634
info@axxam.com
www.axxam.com

AXXAM
INNOVATES, ENABLES, PERFORMS

Please be aware that the provision of the above listed assays may require third party licenses. All products are for research use only.